## ANYAPPS-BUILDING CABLE-THHN THW NM-B

## NMD90

## Building Cable with UL/CSA certification





ANYTE CABLE
ANYTE CABLE

UL/CSA certified building wire ,suitable for installation in the pipeline. For indoor, outdoor, overhead, pipes, cable bridge, and no more than 600 V circuit, direct burning, etc. installation. Used for NEC class I, level II and classification second-class dangerous environment. Its in damp environment temperature 75  $^{\circ}$ C in the work, the dry environment for 90  $^{\circ}$ C, 130  $^{\circ}$ C temperature for emergency overload, short-circuit temperature of 250  $^{\circ}$ C. Don't suggest to use this kind of product in the direct current circuit under damp Environment .

This product meet UL certification (MTW), and fits UL 83, UL1581 standards.





Nylon cable with its anti termites, prevent rat bite, and have heat resistant performance and so on (heat resistant up to 200 degrees Celsius). Nylon cable don't have any harm, green, environmental protection, it is

household decorate equipment power supply, lighting. With light weight, smooth surface, for nylon itself has lubrication, the threading not easy scratches, easy to install in pipe, bring convenience to installation

and economy.

Excellent wear resistance, cold resistance, surface hardness and bending strength, impact of strong, chemical resistance, oil resistance, resistance to gasoline and self lubrication.

Domestic wire upgraded products: generally use in the United States and Europe, nylon sheath effective solve

fire accident caused by Ordinary cable defects .

According to the use of the American experience and the domestic experiments , nylon cable service life is 2 times as common PVC insulated wire , can reach more than forty years.



Rated voltage: 600V Rated temperature 90 ° C

Related products:

G99. ANYCERT-UL THHN THWN accord with ULCSA MTW certification THHN THWN nylon sheathed cable

G100. ANYCERT-UL THW THHW accord with ULCSA MTW certification THW THHW PVC insulated wire (American standard)

G101. ANYCERT-UL NM-B NMD90 accord with ULCSA MTW certification NM-B NMD90 type jacket cables



**※ Can produce cable under your special request** 

